

Potato plantation involves a lot of hard work and labour. Mechanization will help remove the human effort and quicken the process. The PlantingMaster Potato Plus is an ideal planting machine with an advanced mechanism which ensures high planting speed with good accuracy and allows gentle handling of seed potatoes.











dewulf

Features at Glance



Moving Floor

Supplies potatoes to the planting belt in a consistent manner. This avoids blockage of potatoes, thus ensuring continuous operations.



Adjustable Ridgers

Creates the right compaction to enable optimum air and sunlight to reach the potato.



Variety of Holding Cups

Provides you with versatility for different applications. The same machine, with some modifications can be used in all conditions of planting. Cups of 20 mm to 60 mm are available for potatoes of all sizes.



Fertilizer Tanks

Stores up to 65 liter of fertilizer in each tank and helps with its proportionate distribution, reducing labour and fertilizer costs.



Features at Glance




Mechanical Vibrator (Belt Vibrator)

Helps plant a single potato in each go. This increases productivity through efficient singulation.



*Depth Control Wheel

Helps plant potatoes at a consistent depth of 8-17 cm with the regular designed furrow openers & 17-23 cm with specially designed high depth furrow openers (available as an accessory).



Brushes for Cup Cleaning

Enhances singulation by preventing clogging of cups with dirt and sprouts.

The Planting Master Potato Plus Suits Your Agronomy Practices

	2-30-Z	2 - 30 - ZF	2-30-SF	2-26-5	2 - 26 - SF	2-24-S	2 - 24 - SF	2 - 24 - ZF (C)
Zig-Zag Planting	\checkmark	\checkmark	×	×	×	×	×	\checkmark
Straight Planting	×	×	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	×
Fertilizer Box	×	\checkmark	\checkmark	×	\checkmark	×	\checkmark	\checkmark
Whole Potato	\checkmark	×						
Cut Potato	×	×	×	×	×	×	×	\checkmark

Note: You can change your variant preferences with simple adjustments and minimal costs.

^{*}This feature is available only without fertilizer box variants (ie V1 ', V2', V6 ')

TECHNICAL SPECIFICATIONS

Number of Rows **Tractor Connection** Lifted (CAT II) Hopper | Type Fixed Hopper | Capacity Up to 500 kg 130 L Fertilizer Capacity Mechanical Drive Kerb Weight of Machine 1000 kg Planting Capacity at Tractor 4000 m²/h Speed of 3-5 km/h Total Machine Weight (loaded) 1624 kg 61 cm 66 cm **Row Distance** 71 cm

76 cm

 ${}^{\star}\mathrm{Specifications}$ can be changed without notice, due to

continuous improvement in product.



Mahindra

dewulf



About Mahindra Farm Equipment Sector:

Mahindra & Mahindra Ltd.'s Farm Equipment Sector (FES) is a part of the US \$19 billion Mahindra Group. As the market leader in India for the past 30 years, FES helps bring Farm Tech Prosperity to the Indian farmer with technologically superior affordable solutions.

About Dewulf:

Dewulf is a leading global player and full liner in agricultural machines for the cultivation of potatoes and root crops. It leads the industry in the development and production of agricultural machinery for soil cultivation, planting, harvesting, grading, sorting and transport of potatoes and vegetables.

Mahindra & Mahindra Ltd.Farm Equipment Sector,
Farm Division AFS Headquarters, Mahindra Towers, 1st Floor, Akurli Road,
Kandivali (E), Mumbai-400101, India

Call our toll-free no. 1800 425 6576